



































## NT Series Micro-Spray Nozzle Performance

			psi	 inches	 GPH	 in/hr	 in/hr
		5Q	20	48	5.0	2.01	2.31
			25	54	5.5	1.74	2.01
			30	61	6.5	1.60	1.85
			35	66	7.3	1.54	1.77
		5T	20	48	6.7	2.00	2.31
			25	54	7.3	1.74	2.01
			30	61	8.6	1.60	1.85
			35	66	9.7	1.54	1.77
		5H	20	48	10.0	2.01	2.31
			25	54	11.0	1.74	2.01
			30	61	13.0	1.61	1.86
			35	66	14.6	1.55	1.79
		5TT	20	48	13.3	2.01	2.32
			25	54	14.7	1.74	2.01
			30	61	17.2	1.60	1.85
			35	66	19.3	1.54	1.78
		5TQ	20	48	15.0	2.01	2.31
			25	54	16.5	1.74	2.01
			30	61	19.4	1.60	1.85
			35	66	21.8	1.54	1.77
		5F	20	48	20.0	2.01	2.31
			25	54	22.0	1.74	2.01
			30	61	25.8	1.60	1.85
			35	66	29.0	1.54	1.77

















## METRIC

			bar	 cm	 l/h	 mm/hr	 mm/hr
		5Q	1.4	121.9	19.0	50.7	58.5
			1.7	137.1	20.9	44.1	50.9
			2.1	154.9	24.5	40.5	46.8
			2.4	167.6	27.6	38.9	44.9
		5T	1.4	121.9	25.3	50.7	58.5
			1.7	137.1	27.8	44.0	50.8
			2.1	154.9	32.6	40.5	46.7
			2.4	167.6	36.7	38.9	44.9
		5H	1.4	121.9	38.0	50.7	58.5
			1.7	137.1	41.8	44.1	50.9
			2.1	154.9	49.4	40.8	47.1
			2.4	167.6	55.5	39.2	45.2
		5TT	1.4	121.9	50.7	50.8	58.6
			1.7	137.1	55.8	44.1	50.9
			2.1	154.9	65.4	40.5	46.8
			2.4	167.6	73.5	38.9	44.9
		5TQ	1.4	121.9	57.0	50.7	58.5
			1.7	137.1	62.7	44.1	50.9
			2.1	154.9	73.5	40.5	46.8
			2.4	167.6	82.7	38.9	44.9
		5F	1.4	121.9	76.0	50.7	58.5
			1.7	137.1	83.6	44.1	50.9
			2.1	154.9	98.0	40.5	46.8
			2.4	167.6	110.2	38.9	44.9



**per  
nozzle**

















## NT Series Micro-Stream Nozzle Performance

			psi	 inches	 GPH
		<b>3Q</b>	20	24	6.6
			25	30	7.2
			30	36	7.8
			35	42	8.4
		<b>3H</b>	20	24	10.8
			25	30	12.0
			30	36	13.2
			35	42	14.4
		<b>3F</b>	20	24	20.4
			25	30	22.8
			30	36	24.6
			35	42	26.4
		<b>3EST</b>	20	24	6.6
			25	30	7.2
			30	36	7.8
			35	42	8.4
		<b>3CST</b>	20	24	10.8
			25	30	12.0
			30	36	13.2
			35	42	14.4
		<b>3SQ</b>	20	24	7.2
			25	30	8.4
			30	36	9.0
			35	42	10.2
		<b>3TRI</b>	20	24	5.4
			25	30	6.0
			30	36	6.6
			35	42	7.2



## NT Series Micro-Stream Nozzle Performance

### METRIC

						
				bar	 cm	per nozzle l/h
		3Q	1.4	45.7	20.4	
			1.7	61.0	25.0	
			2.1	76.2	27.3	
			2.4	91.4	29.5	
		3H	1.4	45.7	34.1	
			1.7	61.0	40.9	
			2.1	76.2	45.4	
			2.4	91.4	50.0	
		3F	1.4	45.7	68.1	
			1.7	61.0	77.2	
			2.1	76.2	86.3	
			2.4	91.4	93.1	
		3EST	1.4	45.7	20.4	
			1.7	61.0	25.0	
			2.1	76.2	27.3	
			2.4	91.4	29.5	
		3CST	1.4	45.7	34.1	
			1.7	61.0	40.9	
			2.1	76.2	45.4	
			2.4	91.4	50.0	
		3SQ	1.4	45.7	25.0	
			1.7	61.0	27.3	
			2.1	76.2	31.8	
			2.4	91.4	34.1	
		3TRI	1.4	45.7	18.2	
			1.7	61.0	20.4	
			2.1	76.2	22.7	
			2.4	91.4	25.0	