


- ① RAIN BIRD RWS-M-B-1401 (INCLUDES RETAINER, 18" (45,7 CM) TUBE, 0.25 GPM (0,95 L/M) BUBBLER, 4" (10,2 CM) GRATE, 1/2" (1,3 CM) M NPT INLET SPIRAL BARB ELBOW)
- ② BUBBLER: RAIN BIRD 1401 0.25 GPM (0,95 L/M) (INCLUDED)
- ③ FINISH GRADE/TOP OF MULCH
- ④ 4" (10,2 CM) LOCKING GRATE (INCLUDED)
- ⑤ 1/2" (1,3 CM) SWING ASSEMBLY: RAIN BIRD SA-125050
OR
1/2" (1,3 CM) SWING PIPE: RAIN BIRD SP SERIES WITH 1/2" (1,3 CM) MALE NPT x 0.490" BARB ELBOW: RAIN BIRD SBE-050
- ⑥ PVC SCH 40 TEE OR EL
- ⑦ PVC OR POLYETHYLENE LATERAL PIPE
- ⑧ 4" (10,2 CM) WIDE X 18" (45,7 CM) LONG RIGID BASKET WEAVE CANISTER (INCLUDED)
- ⑨ OPTIONAL SOCK (RWS-SOCK) FOR SANDY SOILS

NOTES:

- 1. 4" (10,2 CM) GRATE IS ALSO AVAILABLE IN PURPLE (RWS-GRATE-P).
- 2. INSTALL PRODUCT SO THAT THE GRATE IS EVEN WITH FINISH GRADE OR TOP OF MULCH.
- 3. OPTIONAL SAND SOCK (RWS-SOCK) IS 34" (86,4 CM) IN LENGTH. CUT TO LENGTH NEEDED TO COVER MESH BASKET AREA.
- 4. WHEN INSTALLING IN EXTREMELY HARD OR CLAY SOILS, ADD 3/4" (1,9 CM) GRAVEL UNDER AND AROUND THE UNIT TO ALLOW FASTER WATER INFILTRATION AND ROOT PENETRATION.
- 5. ONCE RWS-M HAS BEEN INSTALLED FILL THE BASKET WITH PEA GRAVEL BEFORE LOCKING LID.



ROOT WATERING SYSTEM

N.T.S.

RWS-M-B-1401

07-19-2013