



FLOW RATE:	600 GPM
SCREEN AREA:	720 SQ IN
MAX TEMPERATURE:	160°F
MAX PRESSURE	150 PSI
WEIGHT SHIPPED	~175 LBS

OUTLINE & DIMENSION




FRONT VIEW



SIDE VIEW

HT-G-04-LE

- NOTES:
- 1. FILTER IS SUPPLIED WITH ELECTRIC BALL VALVE AND RAIN BIRD CONTROLLER.
 - 2. FILTER BODY IS STAINLESS STEEL.
 - 3. FILTER FLUSH LINE (1" NPT CONNECTION) DISCHARGE TO ATMOSPHERE, MUST HAVE NO RESTRICTION OR PIPE UNDER SURFACE OF LAKE. (PLUMBING SUPPLIED BY OTHERS)

NOTICE: THIS DRAWING EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN ORIGINATED BY RAIN BIRD CORPORATION. ALL DESIGN, MANUFACTURING, USE AND SALE RIGHTS REGARDING THE SAME ARE EXPRESSLY RESERVED. IT IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING NOT TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING IT TO ANY UNAUTHORIZED PERSON, OR TO INCORPORATE IN OTHER PROJECTS ANY SPECIAL FEATURE UNIQUE TO THIS DESIGN. ALL PATENT RIGHTS HERE TO ARE EXPRESSLY RESERVED.	UNLESS OTHERWISE SPECIFIED:		DRAWN DSW	DATE 11-7-18	 RAIN BIRD SYSTEMS MFG. DIV. TUCSON, ARIZONA	PROJ. NAME HT-G-04-LE	
	FRACTIONAL TOLERANCE	= ± 1/8"	DESIGNED	DATE		PROJ. NO. N/A	
	DRILLED HOLE Ø	= ± 1/32"	SCALE	1:8			
	ANGULAR	= ± 2°	DO NOT SCALE DRAWING				
	LAST MODIFIED IN VERSION: SolidWorks 2017						
	DWG SYMBOLS PER ANSI						
	TITLE STAND ALONE FILTER					DRAWING NUMBER SALES DRAWING A	
	HT-G-04-LE					PART NO. REV.	
						SHEET 1 OF 1	